



消化管mapping 食道


担当：池谷桃子


通常觀察 2枚











NBI観察（拡大含む）
9枚


























ルゴール散布 2枚





ESD当日








標本切り出し








































- 18 17 16 13 11 9 8 7 6 5 4 3 2 1
- 15 14 12 10



● 腫瘍

↑
oral

18

17

16

13

11

9

8

7

6

5

4

3

2

1



15

14

12

10

5



生検後の変化







- 18 17 16 13 11 9 8 7 6 5 4 3 2 1
- 15 14 12 10



- 18 17 16 13 11 9 8 7 6 5 4 3 2 1
- 15 14 12 10



粘膜固有層への浸潤+





- 18 17 16 13 11 9 8 7 6 5 4 3 2 1
- 15 14 12 10

● 腫瘍

→
oral

18

17

16

13

11

9

8

7

6

5

4

3

2

1

15

14


12

10

● 腫瘍



↑
oral

18 17 16 13 11 9 8 7 6 5 4 3 2 1
15 14 12 10




● 腫瘍





↑
oral






● 腫瘍

↑
oral







粘膜筋板への浸潤+



- 18 17 16 13 11 9 8 7 6 5 4 3 2 1
- 15 14 12 10



腫瘍



oral

18

17

16

13

11

9

8

7

6

5

4

3

2

1

15

14

12

10

● 腫瘍

↑
oral

18

17

16

13

11

9

8

7

6

5

4

3

2

1

15



14



12



10

● 腫瘍

↑
oral














粘膜下層への浸潤+

粘膜筋板下縁から
200 μm 未満=SM1



脈管侵襲は陰性








● EP


● LPM

● MM

● SM








● EP



● LPM

● MM

● SM








● EP

● LPM

● MM

● SM




病理組織診断

Esophagus, ESD: moderately differentiated
squamous cell carcinoma,
pT1b(**SM1**), INFa, Ly0, V0, HM0, VM0.

→ 断端は陰性であったが、pT1b(**SM1**)の診断
リンパ節転移率13%であり、追加CRTの方針。

mapping




● EP

● LPM

● MM

● SM

10




● EP

● LPM

● MM

● SM


10



● LPM


● MM

● SM





MM~SM1?



AVA small

LPM~MM?