



# 消化管mapping

## 胃


担当:池谷 桃子

通常觀察 2枚








インジゴ散布観察 2枚












NBI観察(拡大含む)  
6枚


















ESD当日








Oral



Oral



標本切り出し




→  
oral

1



oral


10




  
oral




  
oral




→  
oral



  
oral




  
oral



oral




  
oral




oral




  
oral




  
oral




  
oral




  
oral



  
oral



  
**oral**



1

2

3

4

5


6

7

8

9

oral



1

2

3

4

5

6


7

8

9


→  
oral

● 腫瘍







oral

● 腫瘍





oral







過形成性變化




● 腫瘍



→  
oral





1

2

3

4

5


6

7

8


9

→  
oral




→  
oral

● 腫瘍







→  
oral

● 腫瘍



oral





1

2

3

4

5


6

7

8

9

→  
oral



1

2

3

4

5


6

7

8

9

oral



1

2

3

4

6


7

8

9


→  
oral

● 腫瘍






→  
oral

● 腫瘍



→  
oral





1

2

3

4

5


6

7

8

9

oral



1

2

3

4

5


6

7


8

9

→  
oral



→  
oral



1

2

3

4

5


6

7



8

9

oral



oral




# 病理組織診断

Stomach, ESD: 13 × 6mm(32 × 18mm)  
tubular adenocarcinoma, well  
differentiated(tub1), pT1a, M, early, UL0, Ly0,  
V0, HM0, VM0.

# 病理組織診断

Stomach, ESD: 13 × 6mm(32 × 18mm)  
tubular adenocarcinoma, well  
differentiated(tub1), pT1a, M, early, UL0, Ly0,  
V0, HM0, VM0.

2cmを越えないUL(－)分化型pT1a  
→内視鏡的根治度A(eCuraA)




→  
oral




→  
oral


● M




oral



→  
oral





→  
oral







→  
oral




oral













  
oral





  
oral











oral →




mapping









4







4

生検前



生検前

